

CHRISTIANSO PIPE INC.

PIPE INVENTORY

Ph:(403) 652-4336 Fax:(403) 652-4913

www.christiansonpipe.com

SIZE	WGT/FT	LNTHS	FEET	PCS.
2-3/8 x .109	2.67	18'-30'	72.3	3
2 3/8 x .190	4.44	18'-25'	14,921.5	650
2 3/8 x .190	4.44	26'-32'	5,496.0	194
2 3/8 x .190	4.44	33'-45'	1,276.8	34
2 3/8 x .217	4.99	18-30	28.6	1
2 3/8 x .217	4.99	31-45	575.3	15
2 3/8 x .217	4.99	46'-62'	2,528.2	48
2 7/8 x .218	6.16	R/L	37.0	2
3 1/2x .188	8.82	46'-62'	5,094.5	85
3 1/2 x .360	11.64	18'-30'	218.2	12
4-1/2 x .125	5.89	18'-30'	214.6	8
4-1/2 x .125	5.89	31'-45'	386.1	11
4-1/2 x .125	5.89	46'-62'	4,633.4	73
4 1/2 x .126	5.89	RL	758.7	13
4 1/2 x .126	5.89	18-30	319.5	13
4 1/2 x .156	7.31	18'-30'	79.9	4
4 1/2 x .156	7.31	18'-30'	2,812.4	99
4 1/2 x .156	7.31	31'-45'	1,986.0	51
4 1/2 x .156	7.31	46'-62'	2,926.3	51
4 1/2 x .156	7.31	18 - 30	1,319.6	49
4 1/2 x .156	7.31	31 - 45	1,512.8	45
4 1/2 x .156	7.31	46'-62'	4,766.9	80
4 1/2 x .156	7.31	RRL	2,353.6	186
4 1/2 x .156	7.31	SRL	151.9	14
4 1/2 x .157	7.31	18'-30'	1,644.9	66
4 1/2 x .157	7.31	31'-45'	1,802.4	50
4 1/2 x .157	7.31	46'-62'	5,900.2	96
4 1/2 x .188	8.68	18'-30'	1,723.4	73
4 1/2 x .188	8.68	46'-62'	5,486.0	89
4 1/2 x .205	9.42	18'-25'	189.3	10
4 1/2 x .205	9.42	40	2,240.0	56
4 1/2 x .205	9.42	18'-30'	639.2	28
4 1/2 x .205	9.42	31'-45'	1,585.1	54
4 1/2 x .205	9.42	46-62	177.4	5
4 1/2 x .237	10.76	18'-30'	109.3	4
4 1/2 x .237	10.76	31'-45'	715.0	19
4 1/2 x .237	10.76	46'-62'	516.5	9
4 1/2 x .237	10.76	40	54,440.0	1361
4 1/2 x .237	10.76	RRL	455.0	91
4 1/2 x .250	11.36	RRL	120.2	3
4 1/2 x .250	11.36	18'-25'	109.1	5
4 1/2 x .250	11.36	26'-32'	174.6	6
4 1/2 x .250	11.36	33-45	1,219.3	29
4 1/2 x .250	11.36	18'-25'	497.0	22
4 1/2 x .250	11.36	26'-32'	2,420.6	82
4 1/2 x .250	11.36	33'-45'	539.2	16
4 1/2 x .250	11.36	40	74,400.0	1860
5" x .437	21.31	41'-45'	129.9	3
5-1/2 x .244	13.71	26'-32'	469.4	16

CHRISTIANSON PIPE INC.

PIPE INVENTORY

Ph:(403) 652-4336 Fax:(403) 652-4913

www.christiansonpipe.com

SIZE	WGT/FT	LNTHS	FEET	PCS.
5 1/2 x .275	15.37	33'-45'	400.7	9
6 5/8 x .156	10.89	Scrap RRL	329.0	54
6 5/8 x .156	10.89	SRL	18.0	2
6 5/8 x .156	10.89	18 - 30	608.5	23
6 5/8 x .156	10.89	31 - 45	2,458.9	58
6 5/8 x .188	13.00	18'-30'	110.5	4
6 5/8 x .188	13.00	31'-45'	243.2	6
6 5/8 x .188	13.00	46'-62'	496.8	9
6 5/8 x .188	13.00	18'-30'	776.6	29
6 5/8 x .188	13.00	31'-45'	841.9	22
6 5/8 x .188	13.00	46'-62'	93.5	2
6 5/8 x .188	13.00	18 - 30	1,284.6	47
6 5/8 x .188	13.00	31'-45'	7,450.3	188
6 5/8 x .189	13.00	46'-62'	878.9	15
6 5/8 x .188	13.00	RRL	16.0	2
6 5/8 x .219	15.10	18'-30'	118.0	4
6 5/8 x .219	15.10	31'-45'	1,394.1	37
6 5/8 x .219	15.10	46'-62'	624.4	12
6 5/8 x .220	15.06	18'-30'	355.4	14
6 5/8 x .220	15.06	31'-45'	410.1	11
6 5/8 x .220	15.06	46'-62'	2,058.7	36
6 5/8 x .219	15.10	46'-62'	500.9	7
6 5/8 x .250	17.17	18'-30'	101.5	4
6 5/8 x .250	17.17	31'-45'	390.1	10
6 5/8 x .250	17.17	46'-62'	800.6	13
6 5/8 x .250	17.17	40	20,280.0	507
6 5/8 x .252	17.16	18'-30'	89.8	3
6 5/8 x .252	17.16	31'-45'	506.1	13
6 5/8 x .252	17.16	46'-62'	1,705.7	29
6 5/8 x .280	18.96	18'-30'	572.5	25
6 5/8 x .280	18.96	31'-45'	886.1	27
6 5/8 x .280	18.96	18'-30'	78.4	3
6 5/8 x .280	18.96	31'-45'	148.2	4
6 5/8 x .280	18.96	46'-62'	579.2	10
6 5/8 x .280	18.96	RRL	502.6	36
6 5/8 x .280	18.96	RRL	3,828.5	323
6 5/8 x .288	19.53	18'-30'	886.0	33
6 5/8 x .288	19.53	31'-45'	1,808.1	46
6 5/8 x .288	19.53	46'-62'	46.5	1
6 5/8 x .312	21.00	18'-30'	57.8	2
6 5/8 x .312	21.00	31'-45'	442.4	12
6 5/8 x .312	21.00	46'-62'	990.7	18
6 5/8 x .344	23.01	18' - 30'	115.8	4
6 5/8 x .344	23.01	31'-45'	184.7	5
6 5/8 x .344	23.01	46'- 62'	1,049.4	17
7 x .231	16.73	26'-32'	252.6	8
7 x .408	28.75	26'-32'	53.8	2
7 x .472	32.93	33'-45'	27.7	1
8 5/8 x .188	17.05	31'-45'	25.6	1
8 5/8 x .188	17.05	46'-62'	53.6	1

CHRISTIANSON PIPE INC.

PIPE INVENTORY

Ph:(403) 652-4336 Fax:(403) 652-4913

www.christiansonpipe.com

SIZE	WGT/FT	LNTHS	FEET	PCS.
8 5/8 x .188	17.05	18'-30'	1,196.4	44
8 5/8 x .188	17.05	31 - 45	1,844.7	51
8 5/8 x .203	18.43	31'-45'	1,012.7	23
8 5/8 x .219	19.81	RRL	35.0	5
8 5/8 x .219	19.81	18'-30'	2,963.1	113
8 5/8 x .219	19.81	46'-62'	3,946.7	66
8 5/8 x .219	19.81	18'-30'	965.9	35
8 5/8 x .219	19.81	46'-62'	2,400.0	34
8 5/8 x .219 Used	19.81	46'-62'	1,977.9	32
8 5/8 x .220	19.81	18'-30'	46.2	2
8 5/8 x .220	19.81	31'-45'	71.7	2
8 5/8 x .220	19.81	46'-62'	63.0	1
8 5/8 x .250	22.56	RRL	11.5	1
8 5/8 x .250	22.56	18'-30'	1,024.4	44
8 5/8 x .250	22.56	31'-45'	34.7	1
8 5/8 x .250	22.56	46'-62'	685.7	13
8 5/8 x .250	22.56	18'-30'	88.4	3
8 5/8 x .250 Used	22.56	46'-62'	537.2	9
8 5/8 x .252	22.57	18'-30'	92.4	4
8 5/8 x .252	22.57	31'-45'	183.2	5
8 5/8 x .252	22.57	46'-62'	232.2	4
8 5/8 x .276	24.60	18'-30'	1,071.5	43
8 5/8 x .276	24.60	31'-45'	749.6	22
8 5/8 x .276	24.60	46'-62'	47.4	1
8 5/8 x .280	24.98	46'-62'	141.9	3
8 5/8 x .304	27.04	18'-25'	186.6	6
8 5/8 x .312	27.64	18'-30'	1,325.7	52
8 5/8 x .313	27.65	SH R/L	10.6	1
8 5/8 x .322	28.66	18'-30'	26.9	1
8 5/8 x .322	28.66	46'-62'	63.6	1
8 5/8 x .322	28.66	18'-30'	47.7	2
8 5/8 .322 Used	28.66	46'-62'	121.7	3
8 5/8 .322 Used	28.66	46'-62'	168.9	3
8 5/8 X .322	28.66	SRL	464.0	58
8 5/8 x .375	32.99	31'-45'	84.8	2
9-5/8 x .312	31.05	18'-25'	4,780.6	208
9 5/8 x .344	33.90	18 - 30	22.7	1
9 5/8 x .352	34.89	18'-25'	5,946.9	258
9 5/8 x .375	37.08	33'-45'	43.7	1
9 5/8 x .438	43.01	33'-45'	42.2	1
9 5/8 x .550	52.90	33'-45'	43.3	1
10-3/4 x .188	21.21	RRL	96.0	6
10-3/4 x .188	21.34	RRL	40.0	2
10 3/4 x .219	24.65	31-45	44.3	1
10 3/4 x .219	24.65	46'-62	1,997.6	1
10 3/4 x .220	24.76	RRL	477.0	25
10 3/4 x .250	28.28	18'-30'	50.5	2
10 3/4 x .250	28.28	31-45	73.5	2
10 3/4 x .250	28.28	46'-62	31.8	1
10 3/4 x .250	28.28	18'-30'	2,432.5	91

CHRISTIANSON PIPE INC.

PIPE INVENTORY

Ph:(403) 652-4336 Fax:(403) 652-4913

www.christiansonpipe.com

SIZE	WGT/FT	LNTHS	FEET	PCS.
10 3/4 x .250	28.28	31-45	19,517.8	467
10 3/4 x .250	28.28	46'-62	1,220.6	23
10 3/4 x .250	28.28	RRL	683.3	37
10 3/4 x .280	31.34	18'-30'	467.6	20
10 3/4 x .280	31.34	31'-45'	522.6	14
10 3/4 x .280	31.34	46'-62'	1,729.4	29
10 3/4 x .307	34.29	18'-30'	104.4	4
10 3/4 x .307	34.29	31'-45'	106.4	3
10 3/4 x .307	34.29	46-62	142.7	3
10 3/4 x .307	34.29	18'-30'	1,953.2	81
10 3/4 x .307	34.29	31'-45'	156.3	4
10 3/4 x .307	34.29	46-62	1,609.7	27
10 3/4 x .344	38.11	18'-30'	414.8	14
10 3/4 X .352	39.73	46'-62'	128.9	2
10 3/4 x .360	41.33	RRL	79.8	4
10 3/4 x .365	40.65	17-34	757.2	31
10 3/4 x .365	40.65	31'-45'	34.6	1
10 3/4 x .365	40.65	46'-62'	313.2	5
10 3/4 x .438	48.19	18'-30'	293.6	12
11 3/4 x .333	40.66	18'-25'	1,135.0	50
11 3/4 x .333	40.66	26'-32'	2,038.0	70
11 3/4 x .375	45.63	18'-25'	327.3	14
11 3/4 x .375	45.63	26'-32'	442.8	15
11 3/4 x .435	52.63	18'-25'	1,288.3	56
11 3/4 x .435	52.63	26'-32'	3,750.9	128
11 3/4 x .435	52.63	33'-45'	9,259.7	237
11 3/4 x .489	58.88	18'-25'	172.3	7
11 3/4 x .489	58.88	26'-32'	380.6	13
11 3/4 x .489	58.88	33'-45'	951.2	23
12-3/4 x .172	25.00	18'-30'	52.0	2
12-3/4 x .188	25.38	46'-62'	7,360.1	122
12-3/4 x .188	25.38	18'-30'	57.7	2
12 3/4 x .197	26.44	18'-30'	162.8	6
12 3/4 x .197	26.44	31'-45'	567.5	15
12 3/4 x .197	26.44	46'-62'	54.7	1
12 3/4 x .197	26.44	18'-30'	2,838.7	114
12 3/4 x .197	26.44	31'-45'	4,199.0	110
12 3/4 x .197	26.44	46'-62'	9,850.4	167
12 3/4 x .203	27.46	18'-30'	81.2	3
12 3/4 x .203	27.46	31'-45'	380.3	10
12 3/4 x .203	27.46	46'-62'	309.7	5
12 3/4 x .203	27.46	18'-30'	179.7	9
12 3/4 x .219	29.54	18'-30'	1,344.1	56
12 3/4 x .219	29.54	46'-62'	560.3	10
12 3/4 x .219	29.54	18'-30'	4,370.5	160
12 3/4 x .219	29.54	31'-45'	6,526.4	163
12 3/4 x .219	29.54	46'-62'	106.1	2
12 3/4 x .244	32.64	18-30	124.2	4
12 3/4 x .244	32.64	46-62	207.2	4
12 3/4 x .250	33.67	18'-30'	547.7	25

CHRISTIANSO PIPE INC.

PIPE INVENTORY

Ph:(403) 652-4336 Fax:(403) 652-4913

www.christiansonpipe.com

SIZE	WGT/FT	LNTHS	FEET	PCS.
12 3/4 x .250	33.67	31'-45'	132.4	3
12 3/4 x .250	33.67	46'-62'	159.3	3
12 3/4 x .250	33.67	18 - 30	1,452.1	53
12 3/4 x .250	33.67	31'-45'	1,832.5	50
12 3/4 x .250	33.67	46'-62'	146.4	3
12 3/4 x .250	33.67	RRL	12.2	1
12 3/4 x .250	33.67	33-45	84.8	2
12 3/4 X .252	33.67	18'-30'	26.0	1
12 3/4 x .273	36.41	18'-30'	105.6	4
12 3/4 x .273	36.41	31'-45'	101.3	3
12 3/4 x .277	36.93	18'-30'	21.9	1
12 3/4 x .277	36.93	46-62	121.2	2
12 3/4 x .280	37.27	18'-30'	349.5	13
12 3/4 x .280	37.27	31'-45'	785.6	21
12 3/4 x .280	37.27	46'-62'	315.3	6
12 3/4 x .281	37.27	46'-62'	178.0	3
12 3/4 x .312	41.37	18'-30'	146.6	6
12 3/4 x .312	41.37	31'-45'	816.7	19
12 3/4 x .312	41.37	46- 62	7,710.0	128
12 3/4 x .331	43.81	31'-45'	532.6	15
12 3/4 x .331	43.81	46'-62'	288.0	5
12 3/4 x .375	49.50	18'-30'	22.4	1
12 3/4 x .375	49.50	RRL	61.6	7
12 3/4 x .375	49.50	40	240.0	6
12 3/4 x .375	49.50	18'-30'	138.4	5
12 3/4 x .375	49.50	31'-45'	40.3	1
12 3/4 x .375	49.50	18 - 25	721.1	40
12 3/4 x .406	53.52	18'-30'	931.7	43
12 3/4 x .406	53.52	31'-45'	45.9	1
12 3/4 x .406	53.52	46'-62'	62.4	1
12 3/4 x .438	57.53	31'-45'	120.6	3
12 3/4 x .438	57.53	46'-62'	515.1	9
12 3/4 x .438	57.53	R/L	14.7	1
12 3/4 x .500	65.42	18-30	81.2	4
12 3/4 x .500	65.42	31-45	87.6	2
12 3/4 x .500	65.42	46-62	49.3	1
14" x .250	36.75	18 - 30	516.4	5
14" x .250	36.75	31 - 45	165.4	5
16" x .219	36.93	40	3,600.0	90
16" x .272	45.73	RL	792.3	21
16" x .281	47.17	18 - 30	432.4	15
16" x .281	47.17	31 - 45	396.0	12
16" x .312	52.32	RL	40.5	2
30" x .312	99.02	40	400.0	10
30" x .375	118.76	40	1,440.0	36